Mid-Michigan Cooperative Invasive Species Management Area

Conservation District Representative Signature

Invasive Species Injector Rental Contract

Woldumar Nature Association https://woldumar.org/mmcisma/ stephanie.day@macd.org 517-303-6599

NAME			PHON	E	EMA	\IL		
ADDRESS			Credit Card#					
	STREET			ZIP				ive Invasive Specie
(Woldumar). The same information we complete. Please By signing be a signing be a significant of the same in the same is consistent of the same is c	chere is a \$\frac{1}{2}\text{condition, a} ill be kept of sereturn the	50.00 deposit rand cleaned (to on file and chane injector within the agrees to: all instructions ity in case of unity in case of unity in case of unity in case of el and water. Only for their owigan CISMA of e) the injector being cleaned pay the MMC is rented for any of the amount the fee rental chane where hereby regrees to hold M	equired for r riple-rinsed). rged as neces n 1 week. on the pestic nintended inju- renvironmenta vn use during f any damage so that it is noroperly. ISMA full co- reason, include Renter sha rge will be as presents that MCISMA, W.	cental. The deport Cash depositions are replaced ide labels. The contamination of the rental period ide labels in the rental period ide rental period ide ide ide ide ide ide ide ide ide id	animals, and a due to a per cod. Rentals nent, or of an ext user. The replacement, the first equipment the rece a valid line	able provided the Photocopies of the and/or clear door plants. The present the renter will income and/or repair and/or repair the MMCISM up to \$350. The present and is returned a public present ability insurance.	hat the equipmen f identification a hing fees) and describes and describes at is not operating ur a \$25 cleaning of any equipment A's invoice for a feer 1 week: \$20 the policy with	Nature Association t is returned on time and credit/debit care stroyed after rental is imited to, cleanup or g correctly. If the injector is the not returned in the replacement or repair strict harmless as to
Rental Fees:	# of Rental kits	Refundable Deposit \$50/kit	Late Fee \$20	Cleaning Fee \$25.00	Injector #	Time/Date out	Expected Time/Date in	ACTUAL Time/Date in
Herbicide Injector @ \$50 deposit						TOTA	AL CHARGED	\$
Please report	vour invas	ive species of	servation. 1	ocation and p	hotos to MI	I	N RETURN:	Ţ
Answers to the 1. Location of 2. What plant is the 1. I understand do	e following the treatment species will size of the actual that agree that	questions are nt area? (address you be treating area you will be I will follow th	required: ss or crossroa while using treating? (es	ds and detail of the equipment stimated square	f area on the feet) for rental of	property; maps the injector. I a	indicating treatm	nent area accepted) will follow the the rented equipment

Date

HERBICIDE SELECTION

For <u>Japanese</u>, <u>Bohemian</u>, <u>and giant knotweeds</u>, and <u>invasive phragmites</u> injection, a concentrated glyphosate (40-55%) is recommended. Where these infestations are near or in standing water, YOU MUST use an aquatic formulation of glyphosate* and can use the same aquatic formulation on upland sites. Read the label to make sure that glyphosate is the ONLY active ingredient and at a concentration of 40-55%.

The following brand names are some examples of herbicides that contain only glyphosate as an active ingredient in the correct concentration range for upland site treatments:

- · Compare-N-Save 32 oz. 41% Glyphosate Grass and Weed Killer Concentrate, Makes 21 gal (Tractor Supply)
- · Compare-N-Save 16 oz. 41% Glyphosate Concentrate Grass/Weed Killer Herbicide, makes 10 gal. (Amazon.com)
- · FarmWorks 1 gal. 53.8% Glyphosate Grass and Weed Killer Concentrate (Tractor Supply)
- · Martin's Eraser Vegetation Herbicide Concentrate 41% Glyphosate 1 pt (Ace Hardware)
- · Round-up Super Concentrate 50.2% Glyphosate, 32oz (Lowe's)

*Aquatic approved brand names:

- · Rodeo (found on Amazon.com and forestrysupply.com)*
- · Accord (found on Amazon.com and forestrysupply.com)*
- · Shore-Klear Emergent Herbicide*
- · AquaNeat Emergent Herbicide*

The Mid-Michigan CISMA and the Clinton, Eaton, Ingham, and Ionia Conservation Districts do not endorse any particular products. These are examples of products that contain the active ingredient recommended. If you already have a product, or are interested in using a product not listed here, and would like assistance determining if it is acceptable and effective to use on your target plant, contact Stephanie Day, Regional Invasive Species Coordinator, at 517-303-6599, or stephanie.day@macd.org.

FOLLOW ALL DIRECTIONS ON THE LABEL AND WEAR NECESSARY PERSONAL PROTECTIVE EQUIPMENT.

The label is the law. These instructions do not replace the need to read and follow the label of the herbicide product that you are using. IT IS ILLEGAL TO USE AN HERBICIDE IN A MANNER NOT SPECIFICALLY PERMITTED ON THE LABEL.

INJECTOR USE

For treating Japanese, Bohemian, and giant knotweeds (Best treatment timing after flowering- Late August - Early October):

- 1. Wear required personal protective equipment as instructed on the herbicide label.
- 2. To prepare the injection tool for usage, insert needle with the hole pointing down into end of tool by pulling back on the coupler then letting go.
- 3. For the injection of knotweed, you do not need to mix/dilute your herbicide. Purchase a concentrated formulation of glyphosate (40-55%, detailed above) and carefully pour the approximate amount you need into the canister on the tool.
- 4. Treat ALL knotweed stems- It is recommended that you start near the center of the infestation and work your way outward. Inject each stem with the needle between the 1st and 2nd node above ground level and squeeze the trigger. The tool will automatically inject the correct amount of herbicide into each stem.
- 5. Leave stalks in place until they are completely dead and dry. Then you can remove them and dispose of them as you would other yard waste. NOTE: If the plants are not completely dead and dry, any part of them that touches the ground may root and grow into a new plant this is why you must leave them in place until they are completely dead and dry. Follow the State of Michigan's proper Plant Disposal Guidelines
- 6. <u>TRIPLE RINSE</u>: When you are done with all treatment, rinse the tool canister and lid three times with water, then fill with water and spray residue until tool is drained of water. Dispose of all rinse water directly on top of the area you just treated.
- 7. Monitor the site and follow up foliar treatments with a 2% glyphosate solution will be required for several years following this initial treatment. These are best done in the spring or early summer. Contact the Conservation District to report the percentage treated that died and did not come back the following year. 0-25%, 25-50%, 50-75%, and 75-100%

For treating invasive phragmites: (ALWAYS USE AOUATIC FORMULATION, Best treatment timing- August to October)

- 1. Wear required personal protective equipment as instructed on the herbicide label.
- 2. To prepare the injection tool for usage, insert the cavity needle into end of tool by pulling back on the coupler then letting go.
- 3. Use a concentrated formulation of aquatic approved glyphosate (40-55%, detailed above) and carefully pour the approximate amount you need into the canister on the tool.
- 4. Cut invasive phragmites stems at the base a few inches from the ground. Treat ALL cut stems- Insert needle into the hollow part of each cut stem with the needle and squeeze the trigger. The tool will automatically inject the correct amount of herbicide into each stem.
- 5. Properly dispose of cut phragmites seed heads- Carefully double bag seed heads and throw in municipal trash or burn. <u>Follow the State of Michigan's proper Plant Disposal Guidelines</u>
- 6. <u>TRIPLE RINSE</u>: When you are done with all treatment, rinse the tool canister and lid three times with water, then fill with water and spray residue until tool is drained of water. Dispose of all rinse water directly on top of the area you treated.
- 7. Monitor the site and follow-up with treatment the following year as needed. Contact the Conservation District to report the percentage treated that died and did not come back the following year. 0-25%, 25-50%, 50-75%, and 75-100%